

# KR498 EZ Napkin Feeder


*Combining the features of a shuttle feeder and friction feeder, along with a tiny suction cup, for fast, reliable feeding of paper napkins.*

**Easy  
Napkin  
Feeding**

- Feeds napkins up to 11" wide
- Feeds up to 15,000 pieces per hour
- Beverage and dinner size
- Continuous, consistent feeds

***Engineered for high production environments***

- ✓ Heavy Duty
- ✓ Fast
- ✓ Reliable



**KR** Kirk-Rudy, Inc.

Ph: 770.427.4203

[www.kirkrudy.com](http://www.kirkrudy.com)

# KR498

## EZ Napkin Feeder

*A cost effective, reliable solution for difficult paper napkins that will improve productivity!*

- Fully adjustable guides
- Easily mounts on most bases
- Optional stand alone feeder cabinet



The secret is the tiny suction cup that gently grabs the corner of the napkin and brings it into to feed bed.



Optional cabinet stand

### \*\* General Specifications

#### Product Capacity

|           |                      |                          |
|-----------|----------------------|--------------------------|
| Width     | Min 3"<br>(76 mm)    | Max 11"<br>(279.40 mm)   |
| Length    | Min 5"<br>(127 mm)   | Max 11.5"<br>(292.10 mm) |
| Thickness | Min .01"<br>(.25 mm) | Max 4"<br>(101.6 mm)     |

#### Operating Speeds

|         |                                |
|---------|--------------------------------|
| Maximum | Variable to 15,000 pieces/hour |
|---------|--------------------------------|

Note: Speeds are dependent on material being fed

#### Physical

|        | English  | Metric     |
|--------|----------|------------|
| Length | 26.25"   | 66.68 cm   |
| Width  | 21.375"  | 54.29 cm   |
| Height | 17.5"    | 44.45 cm   |
| Weight | 350 lbs. | 158.75 kg. |

#### Electrical Requirements

| Voltage | Amp | Phase | Hz |
|---------|-----|-------|----|
| 120 VAC | 15  | 1     | 60 |

#### Air Requirements

|        |             |
|--------|-------------|
| 45 psi | at 4.0 SCFM |
|--------|-------------|

\*\*Specifications subject to change without notice.

